

ELKHORN RURAL PUBLIC POWER DISTRICT

SEDC 29,30 SINGLE PHASE

SEDC 55,44 THREE PHASE

Sheet No. 1 of 2

URBAN GENERAL SERVICE DEMAND

AVAILABLE: In the lease towns of Hadar, Clearwater, Elgin and Ewing served by the District.

APPLICABLE: To commercial and industrial Customers with peak demands of 100 KW or more in any two summer months or 200 KW or more in any two months of a 12-consecutive month period, whose entire requirements are taken through a single meter at one location through one transformation. However, any commercial Customer with a load factor of at least 250 kWh/KW and either: (1) a demand greater than 50 KW, or (2) consumption greater than 15,000 kWh during any three months of a 12-consecutive month period shall have the option of billing under this schedule.

CHARACTER OF SERVICE: AC, 60 hertz, single-phase or three-phase, at any of the District's standard primary and secondary distribution voltages.

FACILITIES CHARGE: Single Phase \$75.00 per month
Three Phase \$115.00 per month

DEMAND CHARGE: Winter-October 1st to May 31st
Summer-June 1st to September 30th

Winter \$10.75 per KW
Summer \$13.25 per KW

ENERGY CHARGE: Winter-October 1st to May 31st
Summer-June 1st to September 30th

All kWh/Month \$0.03910

The above rates are subject to the Gross Revenue Tax, Lease Payment, and Sales Tax as applicable.

Gross revenue tax is paid to the County.

Lease Payment is made to the Village or City.

Sales Tax is paid to the State and/or Village or City.

MINIMUM BILL: Facilities Charge

TERMS OF PAYMENT: Bills are due and payable upon receipt and delinquent if not paid by due date.

FLUCTUATING LOADS: Customers operating equipment having a highly fluctuating or large instantaneous demand such as welders and x-ray machines shall be required to pay all non-betterment cost of isolating the load from the balance of the District's system so that the load will not unduly interfere with

ELKHORN RURAL PUBLIC POWER DISTRICT

Sheet No. 2 of 2

URBAN GENERAL SERVICE DEMAND

service on the District's lines. In addition, customers who fail to provide adequate corrective equipment shall be required to own and maintain their own transformers.

POWER FACTOR ADJUSTMENT: The rates set forth in this schedule are based on the maintenance by the customer of a power factor of not less than 90% at all times. If it is determined by test that the power factor at the time of the customer's peak load is less than 90%, the District at its option may correct the power factor of the customer's load at the expense of the customer.

TERMS AND CONDITIONS:

1. Service will be furnished under the District's General Terms and Conditions.
2. Extensions made for service under this schedule are subject to the provisions of The District's rules governing Extension of Service and Facilities.

The rates are adopted by the Board of Directors pursuant to NEB. REV. STAT. § 70-655.

Effective Date: January 1, 2026

Date Approved: October 7, 2025